



# SHINANO

## QUALITY JAPANESE AIR TOOLS

FEBRUARY - MAY 2018

Prices include GST.

### BELT SANDERS

#### 10 MM Belt Sander

- 160° adjustable sanding arm
- Includes 6, 10 mm sanding belts
- Includes in-line air regulator for quick speed adjustments

Belt Size: 330 x 10 or 12 mm

Free Speed: 15,000 RPM

Weight: 0.73 kg

SWIVEL INLET  
WITH AIR  
REGULATOR



PG: SI2740

**\$369**

LIGHT WEIGHT  
COMPOSITE  
CONSTRUCTION



PG: SI2800

**\$499**

#### 20 MM Belt Sander

Belt Size: 520 x 20 mm

Free Speed: 15,000 RPM

Weight: 1.43 kg



PG: SI2830

**\$699**

#### 30 MM Belt Sander

Belt Size: 540 x 30 mm

Free Speed: 10,000 RPM

Weight: 2.02 kg

#### 10 MM Sanding Belts

40 Grit 10 mm x 330 mm Pkt 10

PG: SIP10MMXP40

60 Grit 10 mm x 330 mm Pkt 10

PG: SIP10MMXP60

80 Grit 10 mm x 330 mm Pkt 10

PG: SIP10MMXP80

100 Grit 10 mm x 330 mm Pkt 10

PG: SIP10MMXP100

120 Grit 10 mm x 330 mm Pkt 10

PG: SIP10MMXP120

#### 20 MM Sanding Belts

40 Grit 20 mm x 520 mm Pkt 10

PG: SIP20MMXP40

60 Grit 20 mm x 520 mm Pkt 10

PG: SIP20MMXP60

80 Grit 20 mm x 520 mm Pkt 10

PG: SIP20MMXP80

100 Grit 20 mm x 520 mm Pkt 10

PG: SIP20MMXP100

120 Grit 20 mm x 520 mm Pkt 10

PG: SIP20MMXP120

30 mm sanding belts also available.

### ROTARY SANDERS & POLISHER

#### 4" High Speed Disc Sander

Length: 167 mm

Free Speed: 19,000 RPM

Weight: 0.99 kg

Includes  
3 & 4" Discs

PG: SI2210  
**\$179**

#### 4" Angle Grinder

Spindle Size: M10 x 1.5

Length: 223 mm

Free Speed: 12,700 RPM

Weight: 1.82 kg

PG: SI2500L

**\$435**



#### 7" Heavy Duty Angle Sander

Spindle: 5/8 x 11 UNC

Length: 358 mm

Free Speed: 4,500 RPM

Weight: 2.13 kg

#### 7" Heavy Duty Angle Polisher

Spindle: 5/8 x 11 UNC

Length: 358 mm

Free Speed: 2,300 RPM

Weight: 2.13 kg

#### 7" Angle Grinder

Length: 337 mm

Free Speed: 7,500 RPM

Weight: 3.24 kg

PG: SI2600L

**\$645**



PG: SI2351  
**\$422**

PG: SI2451  
**\$422**

#### 1/2" Impact Wrench

- Rear mounted Forward/Reverse selector with Separate 4 position speed selector
- Responsive 8 vane motor
- Feather Touch Trigger.

Max Torque: 627 Ft/lbs

Bolt Cap: 20 mm

Weight: 1.9 kg

Length: 175 mm

PG: SI1490B

**\$385**



FREE  
HOUSING  
PROTECTOR

#### 1/2" Drive

#### 1/2" Impact Wrench

Max Torque: 627 Ft/lbs

Weight: 1.9 kg

Length: 175 mm



Deep Impact Sockets  
included in blow mould case.

- Made from Chrome Molybdenum Steel.
- Meet or exceed DIN & ANSI standards



**\$459 EA**

PG: SI1490KM

#### 1/2" Impact Wrench (SI1490B)

13 Piece Metric 1/2" Socket Set  
includes sizes: 10, 12, 13, 14, 15, 17, 18, 19, 21, 22, 24, 27 & 30 mm

PG: SI1490KI

#### 1/2" Impact Wrench (SI1490B)

13 Piece Imperial 1/2" Socket Set  
includes sizes: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8 & 1-1/4"

#### 3/4" Drive

#### 3/4" Impact Wrench

Max Torque: 1,217 Ft/lbs

Weight: 3.25 kg

Length: 218 mm



Deep Impact Sockets  
included in blow mould case.

- Made from Chrome Molybdenum Steel.
- Meet or exceed DIN & ANSI standards

PG: SI1550KM

#### 3/4" Impact Wrench (SI1550)

8 Piece Metric 3/4" Socket Set  
includes sizes: 26, 27, 29, 30, 32, 35, 36 & 38 mm

PG: SI1550KI

#### 3/4" Impact Wrench (SI1550)

8 Piece Imperial 3/4" Socket Set  
includes sizes: 1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16 & 1-1/2"



**\$899 EA**

### DIE GRINDERS

#### 1/4" Medium Die Grinder

Free Speed: 25,000 RPM

Length: 170 mm

Weight: 0.60 kg

PG: SI2011S

**\$189**

#### 1/4" Small Die Grinder

Free Speed: 27,000 RPM

Length: 151 mm

Weight: 0.37 kg

PG: SI2002EX

**\$199**



#### 1/4" Extended Die Grinder

Free Speed: 24,000 RPM

Length: 326 mm

Weight: 1.34 kg

PG: SI2022S

**\$379**

#### 1/4" H-duty Die Grinder


Free Speed: 20,000 RPM

Length: 162 mm

Weight: 0.56 kg

PG: SI2005HD

**\$325**



12 MONTH FACTORY WARRANTY



# SANDERS & POLISHERS

## Mini Pistol Grip Dual Action Sander

- Velcro Pad
- 2 Speed

Free Speed: 15,000 RPM  
Pad Size: 75 mm  
Orbit Dia.: 3 mm  
Weight: 0.52 Kg

PC: SI2110  
**\$229**

## 3" Mini Orbital Sander

Free Speed: 12,000 RPM  
Orbit Dia.: 3 mm  
Weight: 0.54 Kg

PC: SI3102  
**\$359**

**ULTRA COMPACT**

## 6" Dual Action Sander

• Velcro Pad  
Free Speed: 10,000 RPM  
Orbit Dia.: 5 mm  
Weight: 0.94 Kg

PC: SI3101-6  
**\$445**

## 70 MM Pistol Grip Polisher

Kit includes: Wool Buff, sponge Buff, Velcro Pad & 3 Sanding Pads  
Pad Size: 75 mm  
Free Speed: 4,500 RPM  
Length: 147 mm  
Weight: 0.64 Kg

PC: SI2221  
**\$335**

## 6" Dual Action Sander

• Velcro Pad  
Free Speed: 10,000 RPM  
Orbit Dia.: 7 mm  
Weight: 1.82 Kg

PC: SI3100  
**\$248**

# SCREWDRIVERS

All screwdrivers feature forward & reverse.

## 1/4" Screwdriver

- Adjustable clutch

PC: SI1166A  
**\$429**

Length: 207 mm  
Bolt Cap: 1/4"  
Max Torque: 3.70 Ft/lbs  
Free Speed: 2,000 RPM  
Weight: 1.18 Kg

## 1/4" Screwdriver

- Adjustable clutch

PC: SI1166-8A  
**\$499**

Length: 229 mm  
Bolt Cap: 5/16"  
Max Torque: 6.60 Ft/lbs  
Free Speed: 800 RPM  
Weight: 1.35 Kg

## 1/4" Straight Screwdriver

• Adjustable clutch  
Length: 247 mm  
Bolt Cap: 1/4"  
Max Torque: 3.70 Ft/lbs  
Free Speed: 1,600 RPM  
Weight: 1.12 Kg

PC: SI1161  
**\$396**

# PREP TOOLS

## 50 MM MICRO DISC SANDER

Includes backing pad and abrasives  
Free Speed: 17,000 RPM  
Length: 144 mm  
Weight: 0.49 Kg

PC: SI2201  
**\$198**

## 100 MM DISC SANDER

Includes 75 mm Fine & Coarse abrasive pads, 75 mm & 100 mm backing pads and adapter  
Free Speed: 18,000 RPM  
Length: 167 mm  
Weight: 0.984 Kg

PC: SI2210R  
**\$214**

## Abrasive Pads to suit SI2201, SI2202 & SI2210R Prep Tools.

Ideal for removing gaskets without damaging metal surfaces.

## Brown Coarse 50 MM Abrasive Pad

PC: GPA1526X10

## Blue Fine 50 MM Abrasive Pad

PC: GPA1527X10

## Maroon Medium 50 MM Abrasive Pad

PC: GPA1528X10

## Packs of 10

**\$28 EA**

## Brown Coarse Abrasive 75 MM Pad

PC: GPA1529X10

## Blue Fine Abrasive 75 MM Pad

PC: GPA1530X10

## Maroon Medium Abrasive 75 MM Pad

PC: GPA1531X10

## Packs of 10

**\$49 EA**

# DRILLS

## 3/8" Heavy Duty Drill

- Non-reversible

Chuck Size: 10 mm  
Length: 133 mm  
Free Speed: 2,000 RPM  
Weight: 0.91 Kg

PC: SI5300A  
**\$279**

## 3/8" Straight Drill

Chuck Size: 10 mm  
Length: 231 mm  
Free Speed: 6,000 RPM  
Weight: 1.06 Kg

PC: SI2015AD  
**\$319**

## 3/8" Compact Drill

- Non-reversible

Chuck Size: 10 mm  
Length: 130 mm  
Free Speed: 2,600 RPM  
Weight: 0.79 Kg

PC: SI5500  
**\$199**

## 10 mm Reversible Angle Head Drill

- 58 mm drill head is ideal for accessing tight spaces
- Reverse button with twist-lock
- Includes chuck key

Chuck capacity: 10 mm  
Free Speed: 1,000 RPM  
Head Size: 58L x Ø48 mm  
Length: 251 mm  
Weight: 1.23 Kg

PC: SI-5365  
**\$399**

## 3/8" H-Duty Reversible Drill

Chuck Size: 10 mm  
Length: 132 mm  
Free Speed: 2,000 RPM  
Weight: 1.02 Kg

PC: SI5305A  
**\$320**

## 1/2 Capacity Reversible Keyed Drill

Chuck Size: 13 mm  
Length: 155 mm  
Free Speed: 800 RPM  
Weight: 1.45 Kg

PC: SI5305-8A  
**\$429**

# CUTTING TOOLS

## Multifunction Mini Air Saw

- Includes in-line air regulator for quick speed adjustments
- Stroke Length: 10 mm
- Free Speed: 10,500 RPM
- Length: 148 mm
- Weight: 0.52 Kg

**10 mm Stroke**

PC: SI4740  
**\$359**

## Body Saw

Stroke Length: 5 mm  
Free Speed: 10,000 RPM  
Length: 259 mm  
Weight: 0.58 Kg

PC: SI4700B  
**\$319**

## Quality Bi-metal Metal Blades

18 TPI of 5 Pack

PC: PT301A18

24 TPI of 5 Pack

PC: PT301A24

32 TPI of 5 Pack

PC: PT301A32

**\$18 EA**

## Air Nibbler

Free Speed: 2,600 SPM  
Length: 175 mm  
Weight: 1.00 Kg

PC: SI4600  
**\$365**

## Laminate Trimmer

1/4" collet size  
Length: 177 mm  
Free Speed: 22,000 RPM  
Weight: 0.91 Kg

PC: SI2018A  
**\$319**

## 3" Cut Off Grinder

Length: 196 mm  
Free Speed: 20,000 RPM  
Weight: 1.00 Kg

PC: SI2033  
**\$196**

## 3" Cut Off Discs Pack of 5

New discs only 0.8 mm thick. Cuts quicker and cleaner saving you time and money. Speed rated to 25,000 RPM Ø75 x 0.8 x Ø9.53 mm

PC: C0007K  
**\$18**

## Oscillation Sealant Cutter & Sander

- Includes 75 mm triangular pad & standard 90 mm sealant blade.

Free Speed: 21,000 OPM  
Length: 182 mm  
Weight: 0.65 Kg

PC: SI3200A  
**\$355**

Ideal for windscreen removal, sawing or sanding tight corners.



## RATCHET WRENCHES



1/4" versions available.

### 3/8" Super Mini Ratchet

Length: 125 MM  
Max Torque: 22 Ft/lbs  
Weight: 0.40 Kg

PC: SI1108B  
**\$220**



### 3/8" Ratchet Wrench

Length: 265 MM  
Max Torque: 59 Ft/lbs  
Weight: 1.16 Kg

PC: SI1320A  
**\$185**

### 3/8" Mini Ratchet Wrench

Length: 170 MM  
Max Torque: 30 Ft/lbs  
Weight: 0.54 Kg

PC: SI1208EX  
**\$229**

### 1/2" Ratchet Wrench

Length: 265 MM  
Max Torque: 66 Ft/lbs  
Weight: 1.17 Kg

PC: SI1325A  
**\$185**

### 1/2" Ratchet Wrench

Length: 263 MM  
Max Torque: 85 Ft/lbs  
Weight: 1.15 Kg



PC: SI1345BEX  
**\$245**

### 1/2" Heavy Duty Ratchet

Length: 368 MM  
Max Torque: 118 Ft/lbs  
Weight: 1.95 Kg



PC: SI1435  
**\$430**

## SHINANO AIR TOOL OIL



- Add only a couple of drops daily to prolong the performance of any air operated tool
- Formulated to greatly reduce internal wear and maintain the integrity of the gaskets and seals

Shinano 250 ml  
Air Tool Oil

PC: SI250  
**\$9.50**

Shinano 1 Litre  
Air Tool Oil

PC: SI1000  
**\$17**

Shinano 5 Litre  
Air Tool Oil

PC: SI5000  
**\$69**

## HAMMERING TOOLS

### 10.2 mm Pistol Grip

Air Hammer  
Length: 208 MM  
Impact Rate: 2,600 BPM  
Weight: 1.60 Kg



PC: SI4120A  
**\$219**

### Spring Retainer

Suits most hammers.

PC: GPA70  
**\$6**



### Shinano Paint

Scraper Chisel  
Shank Dia.: 10 MM / 0.401"  
60 MM blade.

PC: SI823  
**\$55**

### Shinano 20 MM

Flat Chisel  
Shank Dia.: 10 MM / 0.401"

PC: SI810  
**\$29**



## NEEDLE SCALERS

### Straight Grip Needle Scaler

Length: 333 MM  
Stroke: 4.5 MM  
Impact Rate: 3,500 BPM  
Weight: 2.06 Kg



PC: SI4150EX  
**\$499**

### Pistol Grip Needle Scaler

Length: 355 MM  
Stroke: 4.5 MM  
Impact Rate: 3,300 BPM  
Weight: 2.19 Kg



PC: SI4160  
**\$525**

## IMPACT WRENCHES

### 3/8" Impact Wrench

Max Torque: 258 Ft/lbs  
Bolt Cap: 16 MM  
Weight: 1.03 Kg  
Length: 148 MM

PC: SI1605  
**\$315**

### 1/2" Impact Wrench

Max Torque: 332 Ft/lbs  
Bolt Cap: 18 MM  
Weight: 1.04 Kg  
Length: 148 MM

PC: SI1610  
**\$315**



### 3/8" Butterfly Wrench

Max Torque: 66 Ft/lbs  
Bolt Cap: 10 MM  
Weight: 0.94 Kg  
Length: 158 MM



PC: SI1305  
**\$255**

### 1/2" Double Hammer

Impact Wrench Kit  
c/w case and sockets

Max Torque: 369 Ft/lbs  
Length: 191 MM  
Nett Weight: 2.60 Kg

PC: SI1420TK  
**\$310**



### 1" H-Duty Impact Wrench

Max Torque: 1,840 Ft/lbs  
Bolt Cap: 41 MM  
Weight: 10.9 Kg  
Length: 285 MM



3 Handle Positions

### 3/4" Impact Wrench

Max Torque: 1,217 Ft/lbs  
Bolt Cap: 24 MM  
Weight: 3.25 Kg  
Length: 218 MM



Also available with  
6" anvil (SI1556).  
Call for pricing.

PC: SI1550  
**\$799**

### SI1550 Housing Protector



New housing protector is manufactured from soft, hard wearing rubber to inhibit the development of scratches, gashes and cracks to the motor housing of your impact wrench.



PC: 967-23  
**\$45**

### 1" H-Duty D-Handle Impact Wrench

Max Torque: 1,770 Ft/lbs  
Bolt Cap: 41 MM  
Weight: 10.6 Kg  
Length: 350 MM



Also available with  
6" anvil (SI1876) or  
8" anvil (SI1878).  
Call for pricing.

PC: SI1870  
**\$1,265**

### 1" H-Duty D-Handle Impact Wrench

Max Torque: 2,430 Ft/lbs  
Bolt Cap: 38 MM  
Weight: 15.4 Kg  
Length: 420 MM



PC: SI1880  
**\$1,635**

**2,430 Ft/lbs**

### 1-1/2" H-Duty D-Handle Impact Wrench

Max Torque: 4,060 Ft/lbs  
Bolt Cap: 55 MM  
Weight: 18 Kg  
Length: 510 MM



PC: SI1900  
**\$2,395**

**4,060 Ft/lbs**




Distributed by:

# SHINANO<sup>TM</sup> INDUSTRIAL TOOLS

Shinano Industrial Tools are specifically designed for reliable operation and long service life in the harshest working environments. Each tool is constructed with the following high-spec components:

- High tolerance bearings used throughout the range offer low noise and vibration levels and superior performance at high speeds.
- Precisely ground high tolerance transmission components made from high grade nickel-chromium molybdenum steel and treated with a specialised hardening process.
- Each Shinano Industrial Tool is assembled with a range of high performance lubricants including, molly-grease which provides excellent thermal stability and wear protection when subjected to constant high loads.



## Industrial Edge Profiler



- Quickly & easily machine consistent radiused edges (meets and exceeds IMO's PSPC regs.).
- 3 Carbide tips, each with 8 cutting edges for cost-effective operation.
- Suitable for use on aluminium, structural grade steel and most types of stainless steel.

Profile Radius: 3 MM  
Min. Corner Radius: 17 MM  
Length: 250 MM

Handle length: 142 MM  
Free Speed: 10,000 RPM  
Output: 900 Watts

PC: SI-4010L  
**\$1255**

## High Spec Collet

The High Spec Collets grips entire length of the burr shank. This reduces "run-out", which improves cutting efficiency and extends the service life of the burr. (NOT included with SI-SG3-CL)



## Silencer Hose

In addition to significantly reduced noise levels, the 50 cm silencer hose expels any moisture or oil that may be in exhaust air away from the work piece.



## Mini Industrial Die Grinder

Free Speed: 28,000 RPM  
Output: 180 Watts  
Length: 150 MM  
Collet Size: 1/4"  
Weight: 0.38 kg

PC: SI-SG20E-6L  
**\$298**

## Industrial Die Grinder

Free Speed: 25,000 RPM  
Output: 650 Watts  
Length: 187 MM  
Collet Size: 1/4"  
Weight: 0.71 kg

PC: SI-SG60E-6L  
**\$329**

## Mini Industrial Angle Die Grinder

PC: SI-AG20E-6L  
Free Speed: 20,000 RPM  
Output: 200 Watts  
Length: 166 MM  
Collet Size: 1/4"  
Weight: 0.57 kg



PC: SI-AG20E-6L  
**\$399**

## Straight Industrial Die Grinder

- High powered tool for confined work areas

Free Speed: 14,000 RPM  
Output: 520 Watts  
Length: 346 MM  
Collet Size: 1/4"  
Weight: 1.53 kg



High Spec Collet NOT included.

PC: SI-SG3-CL  
**\$599**

## 2" Industrial Angle Grinder

Free Speed: 15,000 RPM  
Output: 240 Watts  
Spindle Size: 1/4"-28 UNF  
Length: 170 MM  
Weight: 0.64 kg

PC: SI-AG2-U2P  
**\$429**

## 4" Industrial Angle Grinder

Free Speed: 13,500 RPM  
Output: 600 Watts  
Spindle Size: M8-1.25 MM  
Length: 276 MM  
Weight: 1.89 kg

PC: SI-AG4-A2L  
**\$549**

## 5" Industrial Angle Grinder

Free Speed: 12,000 RPM  
Output: 800 Watts  
Spindle Size: M14-2.0 MM  
Length: 285 MM  
Weight: 2.08 kg

PC: SI-AG5-E3L  
**\$699**

## 7" Industrial Angle Grinder

Free Speed: 7,600 RPM  
Output: 1000 Watts  
Spindle Size: 5/8"-11 UNC  
Length: 312 MM  
Weight: 3.3 kg

PC: SI-AG7-E5L  
**\$799**

## Governed Motor

Speed governed motor delivers both higher torque levels and optimal disc RPM for optimum grinding performance.



## Low Profile Gearbox

Low Profile gearbox greatly increases the operators view of the work area.